Status report of the NRL TEAMS facility
D.L. Knies, K.S. Grabowski, C. Cetina, G.K. Hubler, M. Getaneh and S.J. Tumey 72
The PX-AMS system and its applications at CIAE
M. He, S. Jiang, S. Jiang, S. Wu and G. Guo 78
The NSI biomedical AMS system at MIT: current status
R.G. Liberman, B.J. Hughey, P.L. Skipper, J.S. Wishnok, R.E. Klinkowstein, R.E. Shefer and S.R. Tannenbaum 82
Performance of the new iodine-129 beamline at JAERI-AMS
T. Suzuki, T. Aramaki, T. Kitamura and O. Togawa 87
Current status and future direction of MALT, The University of Tokyo
H. Matsuzaki, C. Nakano, H. Yamashita, Y. Maejima, Y. Miyairi, S. Wakasa and K. Horiuchi 92
Present status of the JNC Tono Geoscience Center AMS system
S. Itoh, M. Abe, M. Watanabe, S. Nakai, H. Touyama and S. Xu 100
Status of the PSI/ETH compact AMS facility
M. Stocker, R. Bertschinger, M. Döbeli, M. Grajcar, S. Jacob, J. Scheer, M. Suter and H.-A. Synal ... 104
The ANTARES AMS facility at ANSTO
D. Fink, M. Hotchkis, Q. Hua, G. Jacobsen, A.M. Smith, U. Zoppi, D. Child, C. Mifsud, H. van der Gaast, A. Williams and M. Williams 109
AMS ^{14}C measurement and preparative techniques at NIES-TERRA
M. Yoneda, Y. Shibata, A. Tanaka, T. Uehiro, M. Morita, M. Uchida, T. Kobayashi, C. Kobayashi, R. Suzuki, K. Miyamoto, B. Hancock, C. Dibden and J.S. Edmonds 116
High precision ^{14}C measurements with the HVEE Tandetron AMS system at Nagoya University
T. Nakamura, E. Niu, H. Oda, A. Ikeda, M. Minami, T. Ohta and T. Oda 124
^{26}Al at the AMS facility in Lund
M. Faarinen, S. Bazhal, U. Falkengren-Grerup, R. Hellborg, M. Kiisk, C.E. Magnusson, P. Persson, G. Skog and K. Stenström 130
Improvement of AMS system at Kyushu University
S. Mitarai, Y. Kanegae, K. Tanaka, H. Morikawa, T. Maeda, T. Noro and S. Morinobu 135

Technical development

25 years of AMS – a review of recent developments
M. Suter 139
A gas ion source for continuous-flow AMS
R.J. Schneider, S.-W. Kim, K.F. von Reden, J.M. Hayes, J.S.C. Wills, V.S. Griffin, A.L. Sessions and S. Sylva 149
Ion source modeling and design at PRIME Lab
G.S. Jackson, D. Elmore, M. Caffee, K.A. Mueller, B. De Bonte, P. Muzikar and B. Alexander 155
Upgrading of the AMS facility at the Koffler 14UD Pelletron accelerator
D. Berkovits, M. Paul, Y. Ben-Dov, C. Bordeanu, S. Ghelberg, O. Heber, M. Hass, Y. Shahar and G. Verri 161
AMS measurements of ^{10}Be concentration in Chinese loess using PKUAMS
K.X. Liu, H.L. Gao, L.P. Zhou, F. Xu, S.X. Peng, J.L. Yuan and Z.Y. Guo 168
A method for isobaric identification with gas-filled TOF detector system
X. Ruan, Y. Guan, M. He, K. Dong, Y. Zheng, S. Wu, S. Jiang, W. Wu, K. Liu and B. Han 172
Measuring the mass of fission fragments using the HRIBF 25-MV tandem accelerator
P.A. Hausladen, J.R. Beene, A. Galindo-Uribarri, J.F. Liang, D.C. Radford and D. Shapira 176
Computer simulation of ion-beam optics in a gas-filled magnetic spectrometer
V. Alfimov and G. Possnert 180
Developments in AMS of ^{99}Tc
L. Wacker, L.K. Fifield and S.G. Tims 185

^{10}Be measurements with terminal voltages below 1 MV
M. Grajcar, M. Döbeli, P.W. Kubik, C. Maden, M. Suter and H.-A. Synal 190
Initial measurements with the SUERC accelerator mass spectrometer
S. Freeman, S. Xu, C. Schnabel, A. Dougans, A. Tait, R. Kitchen, G. Klody, R. Loger, T. Pollock, J. Schroeder and M. Sundquist 195
The potential for AMS analysis of ^{10}Be using BeF^-
X.-L. Zhao, A.E. Litherland, J.P. Doupé and W.E. Kieser 199
First tests with a natural diamond detector (NDD) – a possibly powerful tool for AMS
P. Steier, R. Golser, W. Kutschera, V. Liechtenstein, A. Priller, C. Vockenhuber and S. Winkler 205
Use of a correlated compound-binomial model to assess absence of non-counting noise in Pu-isotope ratios measured by AMS at LLNL
K.T. Bogen, A.A. Marchetti and T.A. Brown 209
Radiocarbon data collection, filtering and analysis at the NRL TEAMS facility
S.J. Tumey, K.S. Grabowski, D.L. Knies and A.C. Mignerey 216
Analysis of doubly-charged negative molecules by accelerator mass spectrometry
R. Golser, H. Gnaser, W. Kutschera, A. Priller, P. Steier and C. Vockenhuber 221
Ion-optical modelling of the Helsinki AMS system
V. Palonen, P. Tikkanen and J. Keinonen 227
Magnet saturation and relativistic effects in accelerator-mass-spectrometry systems
D. Berkovits, Y. Ben-Dov, I. Berkovits, C. Bordeanu and M. Paul 233
Measurement of ^{7}Be at MALT
H. Nagai, W. Tada, H. Matsumura, T. Aze, M. Noguchi and H. Matsuzaki 237
Spurious ionic charge states in a tandem accelerator
J.O. Fernández Niello, A. Arazi, O.A. Capurro, D. Abriola, A.M.J. Ferrero, L. Gladkis, R.G. Liberman, G.V. Martí, A.J. Pacheco, M. Ramírez and J.E. Testoni 242

Sample preparation

Measurement of carrier-free ^{10}Be samples with AMS: the method and its potential
C. Maden, M. Döbeli, P.W. Kubik, M. Frank and M. Suter 247
Measurements of in situ produced ^{14}C in terrestrial rocks
Y. Yokoyama, M.W. Caffee, J.R. Southon and K. Nishiizumi 253
Magnesium suppression for ^{26}Al measurements using AlO^- ions
A. Arazi, T. Faestermann, J.O. Fernández Niello, D. Frischke, K. Knie, G. Korschinek, H.J. Maier, E. Richter, G. Rugel and A. Wallner 259
Aluminum nitride as a novel aluminum-26 ion source material for accelerator mass spectrometry
R. Flarend, M.E. Hasan and C.S. Reed 263
A report on sample preparation at the ETH/PSI AMS facility in Zurich
I. Hajdas, G. Bonani, J. Thut, G. Leone, R. Pfenninger and C. Maden 267
Co-precipitated silver–metal oxide aggregates for accelerator mass spectrometry of ^{10}Be and ^{26}Al
J. Stone, K. Fifield, J. Beer, M. Vonmoos, C. Obrist, M. Grajcar, P. Kubik, R. Muscheler, R. Finkel and M. Caffee 272
Sample preparation and blank values at the AMS radiocarbon facility of the University of Lecce
M. D'Elia, L. Calcagnile, G. Quarta, C. Sanapo, M. Laudisa, U. Toma and A. Rizzo 278
Small-mass AMS radiocarbon analysis at ANTARES
Q. Hua, U. Zoppi, A.A. Williams and A.M. Smith 284
Prevention and removal of elevated radiocarbon contamination in the LLNL/CAMS natural radiocarbon sample preparation laboratory
P. Zermeño, D.K. Kurdyla, B.A. Buchholz, S.J. Heller, M. Kashgarian and B.R. Frantz 293
An automated AAA preparation system for AMS radiocarbon dating
M. Sakamoto, A. Kodaira and M. Imamura 298

Chemical techniques to extract organic fractions from fossil bones for accurate ^{14}C dating
M. Minami, H. Muto and T. Nakamura 302
Radiocarbon and absolute chronology of the Late-Glacial record from Hauterive/Rouges-Terres, Lake Neuchâtel (CH)
I. Hajdas, G. Bonani, P. Hadorn, N. Thew, G.R. Coope and G. Lemdahl 308
Technical progress in AMS microscale radiocarbon analysis
M. Uchida, Y. Shibata, M. Yoneda, T. Kobayashi and M. Morita 313
Improvement of the sample preparation method for AMS measurement of ^{36}Cl in natural environment
S. Jiang, Y. Lin and H. Zhang 318

Future problems

Isobar separation at low energy in accelerator mass spectrometry
J.P. Doupé, A.E. Litherland, I. Tomski and X.-L. Zhao 323
E/Q and ME/Q^2 interference in the two models of ^{14}C Tandetron systems: towards the 21st century
M.-J. Nadeau, H.W. Lee, A.E. Litherland, K.H. Purser and X.-L. Zhao 328
The old carbon project: how old is old?
R.P. Beukens, H.E. Gove, A.E. Litherland, W.E. Kieser and X.-L. Zhao 333
Radiocarbon AMS towards its low-energy limits
H.-A. Synal, M. Döbeli, S. Jacob, M. Stocker and M. Suter 339
Isotopic fractionation in recombinator based ^{14}C AMS measurements: how can we live with it?
M.-J. Nadeau, A.E. Litherland, A. Rieck and P.M. Grootes 346

Radiocarbon calibration

Radiocarbon calibration – past, present and future
J. van der Plicht 353
Spectral analysis of the IntCal98 calibration curve: a Bayesian view
V. Palonen and P. Tikkanen 359
Radiocarbon variations from the Southern Hemisphere, 10,350–9700 cal BP
M. Barbetti, Q. Hua, U. Zoppi, D. Fink, Y. Zhao and B. Thomson 366
AMS measurement of C-14 concentration in a single-year ring of a 2500-yr-old tree
H. Sakurai, T. Gandou, W. Kato, Y. Sawaki, T. Matsumoto, T. Aoki, H. Matsuzaki, S. Gunji and F. Tokanai 371
Interspecies comparison of marine reservoir ages at the Kitakogane shell midden, Hokkaido, Japan
M. Yoneda, Y. Shibata, M. Morita, M. Hirota, R. Suzuki, K. Uzawa, N. Ohshima and Y. Dodo 376

AMS standards, reference materials and intercomparison

Future needs and requirements for AMS ^{14}C standards and reference materials
E.M. Scott, E. Boaretto, C. Bryant, G.T. Cook, S. Gulliksen, D.D. Harkness, J. Heinemeier, E. McGee, P. Naysmith, G. Possnert, H. van der Plicht and M. van Strydonck 382
Preparation of ^{26}Al AMS standards
K. Nishiizumi 388
First international ^{26}Al interlaboratory comparison – Part I
S. Merchel and W. Bremser 393

AMS applications: overview

Applications of accelerator mass spectrometry: advances and innovation
L.K. Fifield 401

AMS applications: oceanography

Extraction and AMS measurement of carrier free $^{129}I/^{127}I$ from seawater
F. Yiou, G. Raisbeck and H. Imbaud 412
Holocene megathermal abrupt environmental changes derived from ^{14}C dating of a coral reef at Leizhou Peninsula, South China Sea
C. Shen, W. Yi, K. Yu, Y. Sun, T. Liu, J. Beer, I. Hajdas and G. Bonani 416
A semiannual radiocarbon record of a modern coral from the Solomon Islands
A. Schmidt, G.S. Burr, F.W. Taylor, J. O'Malley and J.W. Beck 420
Development of an AMS method to study oceanic circulation characteristics using cosmogenic ^{39}Ar
Ph. Collon, M. Bichler, J. Caggiano, L. DeWayne Cecil, Y. El Masri, R. Golser, C.L. Jiang, A. Heinz, D. Henderson, W. Kutschera, B.E. Lehmann, P. Leleux, H.H. Loosli, R.C. Pardo, M. Paul, K.E. Rehm, P. Schlosser, R.H. Scott, W.M. Smethie Jr. and R. Vondrasek 428
Carbon pool analysis of methane hydrate regions in the seafloor by accelerator mass spectrometry
K.S. Grabowski, D.L. Knies, S.J. Tumey, J.W. Pohlman, C.S. Mitchell and R.B. Coffin 435
Preliminary results of radiocarbon measurement during the WHP P17N re-visit cruise in 2001
Y. Kumamoto, A. Murata, S. Watanabe, M. Fukasawa, M. Yoneda, Y. Shibata and M. Morita 441
Concentrations of ^{129}I along a transect from the North Atlantic to the Baltic Sea
V. Alfimov, A. Aldahan, G. Possnert, A. Kekli and M. Meili 446
AMS ^{14}C dating of the marine Holocene key section in Peter the Great Gulf, Sea of Japan
Y.V. Kuzmin, L.K. Levchuk, G.S. Burr and A.J.T. Jull 451
High-resolution ^{14}C analyses of annually-banded coral skeletons from Ishigaki Island, Japan: implications for oceanography
T. Mitsuguchi, H. Kitagawa, E. Matsumoto, Y. Shibata, M. Yoneda, T. Kobayashi, T. Uchida and N. Ahagon 455
Glacial intermediate water ventilation in the northwestern Pacific based on AMS radiocarbon dating
K. Ohkushi, M. Uchida, N. Ahagon, T. Mishima and T. Kanematsu 460
Transient response of mid-depth circulation in the northwest Pacific around the Younger Dryas event inferred from AMS ^{14}C ages of foraminifera
N. Ahagon and M. Uchida 466

AMS application: hydrology

Tracing groundwater from uranium rich environments by ^{36}Cl isotope method: possibilities for natural analogue studies
W. Balderer and H.-A. Synal 471
Comparison of ^{36}Cl measurements at three laboratories around the world
Y. Mahara, Y. Ito, T. Nakamura and A. Kudo 479
Application of radiocarbon to detect a deep source CO_2 in soil air
H.A. Takahashi, K. Kazahaya, H. Shinohara and T. Nakamura 483

AMS applications: atmospheric sciences

Radiocarbon in tropical tree rings during the Little Ice Age
Q. Hua, M. Barbetti, U. Zoppi, D. Fink, M. Watanasak and G.E. Jacobsen 489
Levels and temporal variability of ^{129}I concentrations and $^{129}I/^{127}I$ isotopic ratios in atmospheric samples from southern Spain
J.M. López-Gutiérrez, F.J. Santos, M. García-León, Ch. Schnabel, H.-A. Synal, Th. Ernst and S. Szidat 495
Analysis of ^{36}Cl in atmospheric samples from Seville (Spain) by AMS
F.J. Santos, J.M. López-Gutiérrez, M. García-León, Ch. Schnabel, H.-A. Synal and M. Suter 501

Changes in radiocarbon concentration in modern wood from Nagoya, central Japan
A. Rakowski, T. Nakamura and A. Pazdur 507
A new extraction technique for atmospheric ^{14}CO and its application
J. Moriizumi, A. Goto and T. Iida 511

AMS applications: surficial geology with ^{14}C

Radiocarbon analysis of the EPICA Dome C ice core: no in situ ^{14}C from the firn observed
A.F.M. de Jong, C. Alderliesten, K. van der Borg, C. van der Veen and R.S.W. van de Wal 516
Age heterogeneity of soil organic matter
J. Rethemeyer, P.M. Grootes, F. Bruhn, N. Andersen, M.J. Nadeau, C. Kramer and G. Gleixner 521
^{14}C-AMS as a tool for the investigation of mercury deposition at a remote Amazon location
J.A. Barbosa, R.C. Cordeiro, E.V. Silva, B. Turcq, P.R.S. Gomes, G.M. Santos, A. Sifedinne, A.L.S. Albuquerque, L.D. Lacerda, P.A. Hausladen, S.G. Tims, V.A. Levchenko and L.K. Fifield 528
AMS radiocarbon dating on Campos Basin, Southeast Brazilian Continental Slope
K.D. Macario, R.M. Anjos, P.R.S. Gomes, A.G. Figueiredo Jr., C. Lacerda de Souza, C.F. Barbosa, M.M. Coimbra and D. Elmore 535
Sedimentological time-averaging and ^{14}C dating of marine shells
O. Fujiwara, T. Kamataki and F. Masuda 540
Compound-specific radiocarbon analysis of polycyclic aromatic hydrocarbons (PAHs) in sediments from an urban reservoir
H. Kanke, M. Uchida, T. Okuda, M. Yoneda, H. Takada, Y. Shibata and M. Morita 545
Improved ^{14}C dating of a tephra layer (AT tephra, Japan) using AMS on selected organic fractions
Y. Miyairi, K. Yoshida, Y. Miyazaki, H. Matsuzaki and I. Kaneoka 555
^{14}C dating of soil samples from the Unzen volcano scientific drilling boreholes
S. Xu, H. Hoshizumi, Y. Ochiai, H. Aoki and K. Uto 560
^{14}C measurement of soil in post-mining landscapes
G. Morgenroth, W. Kretschmer, A. Scharf, T. Uhl, U. Fettweis, O. Bens and R.F. Hüttl 568
Identification of multiple faulting events of the Median Tectonic Line active fault system in the Tokushima Plain, Japan, based on close-interval radiocarbon dating
T. Nakanishi, K. Takemura, A. Okada, M. Morino, A. Hayashida, M. Nakamura, Y. Tazawa, K. Ogino, H. Matsumoto and M. Hirose 573

AMS applications: surficial geology with radionuclides other than ^{14}C

Global distribution of ^{129}I in rivers and lakes: implications for iodine cycling in surface reservoirs
G. Snyder and U. Fehn 579
Recent advances in studies of meteorites using cosmogenic radionuclides
R.C. Reedy 587
Meteoric ^{10}Be in volcanic materials and its behavior during acid-leaching
A. Shimaoka, M. Sakamoto, H. Hiyagon, H. Matsuzaki, I. Kaneoka and M. Imamura 591
^{10}Be concentrations of Red soils in Southwest Japan and its possibility of dating
Y. Maejima, H. Matsuzaki and C. Nakano 596
Accelerator mass spectrometry of particle-bound ^{10}Be
A. Priller, M. Berger, H.W. Gäggeler, E. Gerasopoulos, P.W. Kubik, C. Schnabel, L. Tobler, E.-M. Wild, P. Zanis and C. Zerefos 601
Exposure dating of underwater rocks: potential application to studies of land bridges during the Ice Ages
K.J. Kim and M. Imamura 608
Grain size distribution, ^{10}Be content and magnetic susceptibility of micrometer–nanometer loess materials
C. Shen, J. Beer, P.W. Kubik, M. Suter, M. Borkovec and T.S. Liu 613

A re-evaluation of the 0–10 ka ^{10}Be production rate for exposure dating obtained from the Köfels (Austria) landslide
P.W. Kubik and S. Ivy-Ochs 618
Initial results from isotope dilution for Cl and ^{36}Cl measurements at the PSI/ETH Zurich AMS facility
S. Ivy-Ochs, H.-A. Synal, C. Roth and M. Schaller 623
Exposure ages deduced from cosmogenic ^{10}Be and ^{26}Al produced in situ: application to granite domes and tors in Korea
S. Wakasa, H. Matsuzaki, K. Horiuchi, Y. Tanaka and Y. Matsukura 628
Cosmogenic ^{10}Be and ^{26}Al dating of erratic boulders in the southern coastal area of Lake Baikal, Siberia
K. Horiuchi, H. Matsuzaki, E. Osipov, O. Khlystov and S. Fujii 633
In situ cosmogenic nuclide production of ^{10}Be and ^{26}Al in marine terraces, Fiordland, New Zealand
K.J. Kim and P.A.J. Englert 639

AMS applications: glaciology

The AMS dating of pollen from syngenetic ice–wedge ice
A.C. Vasil'chuk, J.-C. Kim and Y.K. Vasil'chuk 645
AMS ^{14}C dating and stable isotope plots of Late Pleistocene ice-wedge ice
Yu.K. Vasil'chuk, J.-C. Kim and A.C. Vasil'chuk 650

AMS applications: solar activities

Radiocarbon contents in tree rings during the Spörer Minimum
H. Miyahara, K. Masuda, Y. Muraki, T. Uemura, M. Kato, H. Toyoizumi, H. Furuzawa, T. Nakamura, H. Kitagawa and E. Matsumoto 655
AMS measurements of ^{26}Al in quartz to assess the cosmic ray background for the geochemical solar neutrino experiment LOREX
M.K. Pavicevic, E.M. Wild, G. Amthauer, M. Berger, B. Boev, W. Kutschera, A. Priller, T. Prohaska and I. Steffan 660

AMS applications: archeology

Radiocarbon dating of extinct fauna in the Americas recovered from tar pits
A.J.T. Jull, M. Iturralde-Vinent, J.M. O'Malley, R.D.E. MacPhee, H.G. McDonald, P.S. Martin, J. Moody and A. Rincón 668
The mystery of the Persian mummy: original or fake?
W. Kretschmer, K. von Grundherr, K. Kritzler, G. Morgenroth, A. Scharf and T. Uhl 672
Late Glacial–Holocene environmental changes and its age in the Lower Amur River basin, Russian Far East: the Gursky peatbog case study
M.A. Klimin, Y.V. Kuzmin, V.B. Bazarova, L.M. Mokhova and A.J.T. Jull 676
The contribution of ^{14}C AMS dating to the Greater Angkor archaeological project
U. Zoppi, M. Barbetti, R. Fletcher, Q. Hua, R.K. Chhem, C. Pottier and M. Watanasak 681
Radiocarbon dating of a sutra container excavated at the Minagi Daibutsuyama site, Fukuoka Prefecture, Japan
H. Oda, T. Nakamura and T. Tsukamoto 686
The earliest shellmounds of the central-south Brazilian coast
T.A. Lima, K.D. Macario, R.M. Anjos, P.R.S. Gomes, M.M. Coimbra and D. Elmore 691
Intermittent occupation of the sambaqui builder settlements in Rio de Janeiro State, Brazil
M. Barbosa, A. Buarque, M.D. Gaspar, K.D. Macario, R.M. Anjos, P.R.S. Gomes, M.M. Coimbra and D. Elmore 695

^{14}C age determination for human bones during the Yayoi period – the calibration ambiguity around 2400 BP and the marine reservoir effect
S. Mihara, K. Miyamoto, T. Nakamura and H. Koike 700
AMS radiocarbon dating of "Grotta Cappuccini" in Southern Italy
G. Quarta, L. Calcagnile, M. D'Elia, A. Rizzo and E. Ingravallo. 705
AMS radiocarbon dating of iron artefacts
C.M. Hüls, P.M. Grootes, M.-J. Nadeau, F. Bruhn, P. Hasselberg and H. Erlenkeuser 709
The application of ^{14}C dating to potsherds of the Jomon period
K. Yoshida, J. Ohmichi, M. Kinose, H. Iijima, A. Oono, N. Abe, Y. Miyazaki and H. Matsuzaki 716
Dating paleosols from Paleolithic sites in Korea
J.C. Kim, M.Y. Youn, I.C. Kim, J.H. Park, Y.M. Song, J. Kang, H.R. Choi, J.G. Yum and Y. Liu . . 723
AMS ^{14}C age of the Upper Palaeolithic skeletons from Sungir site, Central Russian Plain
Y.V. Kuzmin, G.S. Burr, A.J.T. Jull and L.D. Sulerzhitsky. 731
AMS ^{14}C age of the earliest pottery from the Russian Far East: 1996–2002 results
A.P. Derevianko, Y.V. Kuzmin, G.S. Burr, A.J.T. Jull and J.C. Kim. 735

AMS applications: biological and biomedical sciences

Bringing AMS into the bioanalytical chemistry lab
P.L. Skipper, B.J. Hughey, R.G. Liberman, M.H. Choi, J.S. Wishnok, R.E. Klinkowstein, R.E. Shefer and S.R. Tannenbaum 740
High binding of formic acid to biomacromolecules in mice
H.F. Wang, L.H. Xu, H.F. Sun, B. Xue, Y.F. Liu, S.X. Peng, K.X. Liu, H.J. Ma and Z.Y. Guo. 745
The measurement of ^{41}Ca and its application for the cellular Ca^{2+} concentration fluctuation caused by carcinogenic substances
S. Jiang, M. He, K. Dong, D. Yue, S. Wu, G. Xu, J. Qin, Q. You, Y. Zheng, Y. Guan, Q. Liang, G. Zhang, X. Zhao, Q. Wang and S. Liu. 750
^{26}Al incorporation into the tissues of suckling rats through maternal milk
S. Yumoto, H. Nagai, K. Kobayashi, W. Tada, T. Horikawa and H. Matsuzaki. 754
^{41}Ca – a possible neutron specific biomarker in tooth enamel
A. Wallner, A. Arazi, T. Faestermann, K. Knie, G. Korschinek, H.J. Maier, N. Nakamura, W. Rühm and G. Rugel. 759
Benzoate derived DNA adduction and its decay in mice measured by AMS
B. Xue, H.F. Wang, L.H. Xu, H.F. Sun, Y.F. Liu, S.X. Peng, K.X. Liu and Z.Y. Guo. 765

AMS applications: forensic problems

Forensic applications of ^{14}C bomb-pulse dating
U. Zoppi, Z. Skopec, J. Skopec, G. Jones, D. Fink, Q. Hua, G. Jacobsen, C. Tuniz and A. Williams . . 770

AMS applications: nuclear safeguards

Low-level measurement of ^{63}Ni by means of accelerator mass spectrometry
G. Rugel, A. Arazi, K.L. Carroll, T. Faestermann, K. Knie, G. Korschinek, A.A. Marchetti, R.E. Martinelli, J.E. McAninch, W. Rühm, T. Straume, A. Wallner and C. Wallner. 776
Chlorine-36 in granite samples from the Hiroshima A-bomb site
Y. Nagashima, R. Seki, T. Matsuhiro, T. Takahashi, K. Sasa, K. Sueki, M. Hoshi, S. Fujita, K. Shizuma and H. Hasai. 782
Actinide measurements by accelerator mass spectrometry at Lawrence Livermore National Laboratory
T.A. Brown, A.A. Marchetti, R.E. Martinelli, C.C. Cox, J.P. Knezovich and T.F. Hamilton 788

Measurements of Pu and Ra isotopes in soils and sediments by AMS
S.G. Tims, G.J. Hancock, L. Wacker and L.K. Fifield 796
Accelerator mass spectrometry of plutonium at 300 kV
L.K. Fifield, H.-A. Synal and M. Suter 802
Yield measurements for ^{7}Be and ^{10}Be productions from ^{nat}Cu, ^{nat}Ag and ^{197}Au by bremsstrahlung irradiation at $E_0 = 200$ MeV
H. Matsumura, T. Aze, Y. Oura, H. Kikunaga, A. Yokoyama, K. Takamiya, S. Shibata, T. Otsuki, H. Yuki, K. Sakamoto, H. Haba, K. Washiyama, H. Nagai and H. Matsuzaki 807

AMS applications: heavy nuclides

Proton-induced production cross-sections and production rates of ^{41}Ca from Ni
C. Schnabel, H.-A. Synal, P. Gartenmann, F.J. Santos-Arevalo, I. Gomez-Martinez, M. Suter, A. Tarabischi, T. Bastian, F. Sudbrock, U. Herpers, I. Leya, M. Gloris and R. Michel 812
Developing a detection method of environmental ^{244}Pu
S. Winkler, I. Ahmad, R. Golser, W. Kutschera, K.A. Orlandini, M. Paul, A. Priller, P. Steier, A. Valenta and C. Vockenhuber 817
^{182}Hf, a new isotope for AMS
C. Vockenhuber, M. Bichler, R. Golser, W. Kutschera, A. Priller, P. Steier and S. Winkler 823

AMS applications: environmental pollution

THEODORE, a two-step heating system for the EC/OC determination of radiocarbon (^{14}C) in the environment
S. Szidat, T.M. Jenk, H.W. Gäggeler, H.-A. Synal, I. Hajdas, G. Bonani and M. Saurer 829
Tracing fuel component carbon in the emissions from diesel engines
B.A. Buchholz, C.J. Mueller, G.C. Martin, A.S. Cheng, R.W. Dibble and B.R. Frantz 837
Radiocarbon variability of fatty acids in semi-urban aerosol samples
K. Matsumoto, M. Uchida, K. Kawamura, Y. Shibata and M. Morita 842
Radiocarbon of dissolved humic substances in river waters from the Chernobyl area
S. Nagao, T. Aramaki, N. Fujitake, T. Matsunaga and Yu. Tkachenko 848
A high resolution record of chlorine-36 nuclear-weapons-tests fallout from Central Asia
J.R. Green, L.D. Cecil, H.-A. Synal, J. Santos, K.J. Kreutz and C.P. Wake 854

Author index 858